



January 22, 2015



Edmund G. Brown Jr.  
Governor

## FIFRA 24(c) Special Local Need Label (SLN) For Distribution and Use Only in the State of California

For use In Urban/Suburban Areas and in Proximity to Crops on Inanimate Objects (Such as Telephone, Light Poles), Tree Trunks and Limbs to control of Fruit Fly Pests in the family Tephritidae.

### Static Spinosad ME

**EPA Reg. No.:** 62719-592

**SLN #** CA-140002

**Firm Name:** Dow AgroScience LLC  
9330 Zionsville Road  
Indianapolis, Indiana 46268

### DIRECTIONS FOR USE

This SLN is Intended for Used for Quarantine Treatment Only by Federal, State, or County Agricultural Personnel.

- It is a violation of Federal law to use this product in a manner inconsistent with this labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label for Static Spinosad ME (EPA Reg. No. 62719-592) and this label.

**Location:** Statewide

**Crop/Site/Commodity:** Inanimate Objects (such as Telephone and Light Poles), Tree Trunks, Limbs in Urban/Suburban Areas, and in Traps.



**Target Pest/Problems:** Fruit Fly Pests in the family Tephritidae.

**Dosage:** Apply 5-10 ml. of product per application site or dollops. Apply up to 600 application sites per square mile. Do not apply more than 100 fl. oz. of product per acre per year, nor make more than 15 total applications per acre per year.

Trap - Apply 5 ml of product per trap. Use one trap per acre.

**Dilution Rate:** Ready to use formula. Do not dilute or mix with other materials.

**Method of Application:** Spot Application by hand (spatula or other spreading equipment) or mechanical/ pneumatic meter-jet applicator that delivers large droplets.

**Frequency/Timing of Application:** May be applied every 2-6 week interval depending on population monitoring.

**Restricted Entry Interval (REI):** N/A

**Preharvest Interval (PHI):** N/A

- Other Requirements:**
1. Residents must be notified prior to application.
  2. Do not aerial apply this product.
  3. Do not apply this product to blooming trees or plants in order to protect bees.
  4. Do not apply to food or feed commodities.
  5. Do not apply to edible plants.
  6. Do not exceed one trap per acre.
  7. All applications must be placed out of the reach of children and pets.
  8. Only protected handlers may be in the area during application.

Valid until withdrawn, suspended or cancelled by the United States Environmental Protection Agency (USEPA), the manufacturer, the 24(c) registrant, or the Department of Pesticide Regulation, or expires.


This does not constitute a recommendation of the Department of Pesticide Regulation and will not prevent quarantine action if illegal residues are found on or in the crop.

To the extent consistent with applicable law, neither the Department nor the county agricultural commissioner, makes any warranty of merchantability, fitness of purpose, or otherwise, expressed or implied, concerning the use of a pesticide in accordance with these provisions. The user and/or grower acknowledge the preceding disclaimer.

Do not use in mixture with other pesticides unless provided for in the labeling. Trial on a small area to check out unanticipated problems is suggested.

**24(c) Registrant:** California Department of Food & Agriculture  
1220 N Street, Suite 315  
Sacramento, California 95814  
(916) 654-1211

**USEPA SLN No.:** CA-140002

A handwritten signature in black ink, appearing to read "John E. Inouye". The signature is fluid and cursive, with the first name "John" being more prominent.

John E. Inouye  
Senior Environmental Scientist  
Pesticide Registration Branch  
(916) 324-3538  
E-mail: [jinouye@cdpr.ca.gov](mailto:jinouye@cdpr.ca.gov)